# skOO'kum h2o monitoring, inc.

PO Box 361 Tehachapi, CA 93581-0361

Area Code: 661 Phone: 822-4185 Fax: 823-7894

May 2008

Fairview Water Co, LLC Water System Attn: Paul Burgess 25101 Bear Valley Rd. PMP #39 Tehachapi, CA 93561 System #1502670

Re: Consumer Confidence Report (CCR) for 2007

Enclosed are two (2) copies of the 2007 Consumer Confidence Report (CCR). The EPA and the CA Safe Drinking Water Act require that the CCR be distributed each year to users of all Community and Nontransient/Noncomunity Water Systems.

The CCR includes information about the water system, water sources, definitions, levels of detected contaminants, water quality compliance/violations, and some educational information.

The deadline for distributing the CCR to your consumers is July 1<sup>st</sup> of each year. A "Certification Form" is enclosed and should be sent to the CDPH with a copy of the CCR.

Thank you again for your business. We appreciate the opportunity to assist with your CA Safe Drinking Water Act monitoring requirements. Please contact our office if you have any questions.

Regards,

Water Quality Monitor

skOO'kum h2o monitoring, inc.

Dictionary meaning: SKOOKUM [SkOO'kum], -- adj. NW U.S., Alaska. 1. Impressive; excellent; first-rate)

### 2007 Consumer Confidence Report

Water System Name:	Fairview Water Co, LLC Wa	iter System	Report Date: May 2008
	water quality for many constituents as the results of our monitoring for the p		
Este informe contiene entienda bien.	información muy importante sobre	su agua potable. Trad	úzcalo ó hable con alguien que lo
Type of water source(s)	in use: Groundwater from two (2) w	vells	
•	Assessment information: A drinking he water office. The water source vuln		
Time and place of regul	arly scheduled board meetings for pub	lic participation:	
For more information, c	ontact: Paul Burgess	Phone:	661-822-1801
	TERMS USED IN	THIS REPORT:	

#### TEKMS USED IN THIS REPORT:

level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.

Maximum Contaminant Level (MCL): The highest Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

> Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

> Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

> Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

> Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

**ppb**: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

The attached tables list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

			<del></del>					
TABLE 1 - S	SAMPLING	RESULTS	SHOWING T	HE DETECT	ION O	F COLIFORM BACTERIA		
Microbiological Contaminants (to be completed only if there was a detection of bacteria)	Highest No. of detections	No. of months in violation	MCL		mclg	Typical Source of Bacteria		
Total Coliform Bacteria	(In a mo.) <u>0</u>	0	More than 1 sample in a month with a detection		0	Naturally present in the environment		
Fecal Coliform or E. coli	(In the year) <u>0</u>	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>		0	Human and animal fecal waste		
TABLE 2	- SAMPLIN	G RESULT	TS SHOWING	THE DETEC	TION (	OF LEAD AND COPPER		
Lead and Copper (to be completed only if there was a detection of lead or copper in the last sample set)	No. of samples collected	90 <sup>th</sup> percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant		
Lead (ppb) (Next Lead and Copper due in 2008)	5	0.005	0	15	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits		
Copper (ppm)	5	0.2	0 1.3		0.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
	TABLE 3 -	SAMPLI	NG RESULTS	FOR SODIUM	1 AND	HARDNESS		
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG	Typical Source of Contaminant		
Sodium (ppm)	2007	32	27-38	none	none	Generally found in ground & surface water		
Hardness (ppm)	2007	317	220-400	none	none	Generally found in ground & surface water		

<sup>\*</sup>Any violation of an MCL or AL is marked with an asterisk. Additional information regarding the violation is provided later in this report.

TABLE 4 - DETECTION OF CONTAMINANTS WITH A <u>PRIMARY</u> DRINKING WATER STANDARD									
Chemical or Constituent (and reporting units)	Sample Date	1 9		MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant			
Gross Alpha (ug/L)	2007	32	27-38	15	(0)	Erosion of natural deposits			
Uranium (ug/L)	2007	3.1		20	0.43	Erosion of natural deposits			
Radium 228	2007	0.90	0.11-3.1	5	(0)	Erosion of natural deposits			
Barium (ppm)	2007	70	42-110	1	2	Erosion of natural deposits			
Chlorine (ppm)	2007	1.0	0.2-4.0	4	4	Added as drinking water disinfectant			
Fluoride (ppm)	2007	0.19	0.15-0.21	2	1	Erosion of natural deposits			
Nitrate* (ppm)	Quarterly	28	19-36	45	45	Erosion of natural deposits; leaching from fertilizer use and septic systems			
Perchlorate (ppb)	2007	6.0	5.9-6.1	6	6	Inorganic chemical used in industry			
Selenium (ppb)	2007	6	3.0-9.7	50	(50)	Erosion of natural deposits			

#### TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant	
Chloride (ppm)	2007	21	15-31	500	N/A	Runoff from natural deposits	
Iron (ppb)	2007	91		500	N/A	Leaching from natural deposits	
Manganese* (ppb)	2007	320		300	N/A	Leaching from natural deposits	
Odor (Units)	2004	1.0		3	N/A	Naturally occurring organic material	
Sulfate (ppm)	2007	135	66-210	500	N/A	Runoff/leaching from natural deposits	
TDS (ppm)	2004	0.15		1500	N/A	Runoff/leaching from natural deposits	
Turbidity (NTU units)	2007	2.3		5	N/A	Soil runoff	
Zinc (ppm)	2007	0.1		5.0	N/A	Runoff/leaching from natural deposits	

<sup>\*</sup>Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water: Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Summary Information for Contaminants Exceeding an MCL, MRDL, or AL, or a Violation of Any Treatment Technique or Monitoring and Reporting Requirement

Why are the term's "ppm" and "ppb" Important?

The terms refer to exposure standards and guidelines created to protect the public from harmful substances that can cause serious health effects. Exposure standards and guidelines are created from risk assessments that include dose response, exposure and hazard identification assessments. The following comparisons and information may be helpful:

1 standard atmosphere of water (1 liter of pure water at 4 degrees Celsius) weights 1,000,000 mg or one (1) kilogram (2.2 lbs.): 1 liter = 1.06 quarts.

One ppb = 1 inch in 16,000 miles; 1 cent in \$10 million; 1 second in 32 years; one drop in an Olympic swimming pool. One ppm = 1 inch in 16 miles; 1 minute in 2 years; 1 cent in \$10,000; one drop in 55 gallons.

#### **FOOTNOTES:**

\*Iron, Manganese and Turbidity: is frequently found in water system supplied by groundwater wells. Mountain area wells are notoriously prone to produce water that contains these elements. There are no known direct adverse health effects, however their presence above certain levels is objectionable. Clothes laundered can come out stained. Adding bleach may only intensify the stain. Plumbing fixtures are also stained.

\*Nitrate: in drinking water above 45 mg/L (ppm) is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

\*Chlorine: Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort."

\*Fluoride: "Some people who drink water containing fluoride in excess of the Federal MCL of 4 mg/L over many years may get bone disease, including pain and tenderness of the bones. Children who drink water containing fluoride in excess of the state MCL of 2 mg/L may get mottled teeth."

Report prepared by: skOO'kum h2o monitoring, inc. Tehachapi, CA

### 2007 Consumer Confidence Report

Water System Name:	Fairview Water Co, LLC V	Nater System	Report Date: <b>May 2008</b>
	water quality for many constituents the results of our monitoring for th		
Este informe contiene i entienda bien.	información muy importante sobi	re su agua potable. Trad	úzcalo ó hable con alguien que lo
Type of water source(s)	in use: Groundwater from two (2)	) wells	
be reviewed by calling the	Assessment information: A drink he water office. The water source v		
Agricultural activity. Time and place of regula	arly scheduled board meetings for p	ublic participation:	
For more information, co	ontact: Paul Burgess	Phone:	661-822-1801

#### **TERMS USED IN THIS REPORT:**

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant added for water treatment that may not be exceeded at the consumer's tap.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant added for water treatment below which there is no known or expected risk to health. MRDLGs are set by the U.S. Environmental Protection Agency.

**Primary Drinking Water Standards (PDWS)**: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT)**: A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

**ppm**: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (ug/L)

ppt: parts per trillion or nanograms per liter (ng/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the state Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

The attached tables list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

Microbiological Contaminants (to be completed only if there was a detection of bacteria)	Highest No. of detections	No. of months in violation	MCL		mclg	Typical Source of Bacteria
Total Coliform Bacteria .	(In a mo.) <u>0</u>	0	More than 1 sample in a month with a detection		0	Naturally present in the environment
Fecal Coliform or E. coli	(In the year)	0	A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>		0	Human and animal fecal waste
TABLE 2	- SAMPLIN	G RESULT	rs showing	THE DETEC	TION (	OF LEAD AND COPPER
Lead and Copper (to be completed only if there was a detection of lead or copper in the last sample set)	No. of samples collected	90 <sup>th</sup> percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb) (Next Lead and Copper due in 2008)	5	0.005	0	15	2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	5	0.2	0	1.3	0.17	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3 -	SAMPLI	NG RESULTS	FOR SODIUM	1 AND	HARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG	Typical Source of Contaminant
Sodium (ppm)	2007	32	27-38	none	none	Generally found in ground & surface water
Hardness (ppm)	2007	317	220-400	none	none	Generally found in ground & surface water

<sup>\*</sup>Any violation of an MCL or AL is marked with an asterisk. Additional information regarding the violation is provided later in this report.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant	
Gross Alpha (ug/L)	2007	32	27-38	15	(0)	Erosion of natural deposits	
Uranium (ug/L)	2007	3.1		20	0.43	Erosion of natural deposits	
Radium 228	2007	0.90	0.11-3.1	5	(0)	Erosion of natural deposits	
Barium (ppm)	2007	70	42-110	1	2	Erosion of natural deposits	
Chlorine (ppm)	2007	1.0	0.2-4.0	4	4	Added as drinking water disinfectant	
Fluoride (ppm)	2007	0.19	0.15-0.21	2	1	Erosion of natural deposits	
Nitrate* (ppm)	Quarterly	28	19-36	45	45	Erosion of natural deposits; leaching from fertilizer use and septic systems	
Perchlorate (ppb)	2007	6.0	5.9-6.1	6	6	Inorganic chemical used in industry	
Selenium (ppb)	2007	6	3.0-9.7	50	(50)	Erosion of natural deposits	

### TABLE 5 - DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections			Typical Source of Contaminant	
Chloride (ppm)	2007	21	15-31	500	N/A	Runoff from natural deposits	
Iron (ppb)	2007	91		500	N/A	Leaching from natural deposits	
Manganese* (ppb)	2007	320		300	N/A	Leaching from natural deposits	
Odor (Units)	2004	1.0		3	N/A	Naturally occurring organic material	
Sulfate (ppm)	2007	135	66-210	500	N/A	Runoff/leaching from natural deposits	
TDS (ppm)	2004	0.15		1500	N/A	Runoff/leaching from natural deposits	
Turbidity (NTU units)	2007	2.3		5	N/A	Soil runoff	
Zinc (ppm)	2007	0.1		5.0	N/A	Runoff/leaching from natural deposits	

<sup>\*</sup>Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water: Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Summary Information for Contaminants Exceeding an MCL, MRDL, or AL, or a Violation of Any Treatment Technique or Monitoring and Reporting Requirement

Why are the term's "ppm" and "ppb" Important?

The terms refer to exposure standards and guidelines created to protect the public from harmful substances that can cause serious health effects. Exposure standards and guidelines are created from risk assessments that include dose response, exposure and hazard identification assessments. The following comparisons and information may be helpful:

1 standard atmosphere of water (1 liter of pure water at 4 degrees Celsius) weights 1,000,000 mg or one (1) kilogram (2.2 lbs.): 1 liter = 1.06 quarts.

One ppb = 1 inch in 16,000 miles; 1 cent in \$10 million; 1 second in 32 years; one drop in an Olympic swimming pool. One ppm = 1 inch in 16 miles; 1 minute in 2 years; 1 cent in \$10,000; one drop in 55 gallons.

#### **FOOTNOTES:**

\*Iron, Manganese and Turbidity: is frequently found in water system supplied by groundwater wells. Mountain area wells are notoriously prone to produce water that contains these elements. There are no known direct adverse health effects, however their presence above certain levels is objectionable. Clothes laundered can come out stained. Adding bleach may only intensify the stain. Plumbing fixtures are also stained.

\*Nitrate: in drinking water above 45 mg/L (ppm) is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

\*Chlorine: Some people who use water containing chlorine well in excess of the MRDL could experience irritating effects to their eyes and nose. Some people who drink water containing chlorine well in excess of the MRDL could experience stomach discomfort."

\*Fluoride: "Some people who drink water containing fluoride in excess of the Federal MCL of 4 mg/L over many years may get bone disease, including pain and tenderness of the bones. Children who drink water containing fluoride in excess of the state MCL of 2 mg/L may get mottled teeth."

Report prepared by: skOO'kum h2o monitoring, inc. Tehachapi, CA

#### **ATTACHMENT 6**

# Consumer Confidence Report Certification Form

# To be submitted with a copy of the CCR to:

# Department of Public Health, Southern California Branch, Drinking Water

1200 Discovery Dr., Suite #100, Bakersfield, CA 93309

Water System Name: Fairvier			Fairvie	w Water Co	o, LLC Water S	ystem		
Wat	er Syste	em Number:	150267	70				
syste	em certi	ifies that the	( <i>date</i> ) to c informatio	ustomers (and	tifies that its Co I appropriate noti I the report is corr ublic Health.	ces of availability	7 have been give	n). Further, the
Cert	ified by	: Name:						
		Signat	ure:			······		
		Title:						_
		Phone	Number:	( )		Date:	-	_
	CCR	was distribut	ed by mail o	or other direct o	delivery methods.	Specify other dire	ect delivery metho	ds used:
	"Good				bill paying consum			owing methods:
		Posting the	CCR on the	Internet at ww	ww			<del></del>
		Mailing the	CCR to pos	stal patrons wit	thin the service are	a (attach zip code	s used)	
		Advertising	the availab	ility of the CC	R in news media (a	attach copy of pres	ss release)	
				R in a local nev spaper and date	ewspaper of genera e published)	l circulation (attac	ch a copy of the	published notice,
		Posted the C	CCR in publ	lic places (attac	ch a list of location	ıs)		
		Delivery of businesses,			to single bill add	resses serving sev	eral persons, suc	h as apartments,
		Delivery to	community	organizations	(attach a list of org	ganizations)		
	•			-	as: Posted CCR or	-	sible internet site	at the following
	For pr	ivately-owned	utilities: De	livered the CCR	to the California Pu	blic Utilities Commi	ission	